CHINA 5-STAR KITCHEN APPLIANCE SUPPLIER

BSCI
Business Social Compliance Initiative
PEICHEN DBID: 345561

Walmart
PEICHEN Factory ID.: 36155637

FACTORY & OFFICES
Ningbo Peichen Electric Appliance Co., Ltd.
5910 Zhenpu Road, Xiepu Industrial Zone, Zhenhai District, Ningbo, China 315200
Offices: +86(574)8636-6678
Email: sales@pcelec.cn
Fax: +86(574)8636-6677
www.pcelec.cn

KITCHEN APPLIANCES

Your Reliable Kitchen Appliance Factory

PEICHEN

Ningbo Peichen Electric Appliance Co., Ltd.

ABOUT US

- Ningbo Peichen Electric Appliance Co., LTD. has developed many small kitchen appliances that excel at meeting or exceeding consumer expectations. Power and accessory options provide wide appeal to different markets and marketing strategies, resulting in more flexible pricing options. Our yearly sales have increased in double digits and now exceed over 1,000,000 units.

- Peichen hires people who are smart, well educated, and willing to explore innovation and accept responsibility. The result is a dedicated work-force devoted to excellence in design, craftsmanship, and service. Consequently, Peichen also enjoys a superior reputation with competitors, as well as with buyers.

- No market is too far away for Peichen's Sales Division. The internet and word-of-mouth have spread the good news of opportunities with Peichen. Nor is unfamiliar language or customs a barrier to building trust and loyalty. We do both with sincere communication, and round-the-clock attention to details, to satisfy the business requirements of our clients. Buyers have learned that it is easier to sleep at night when Peichen gives them a commitment. Consumers around the world also benefit from that partnership of mutual trust, and performance-based reputation.

10 Reasons to profit with PEICHEN'S Global Sales Network

- 10 English speaking senior Sales Representatives.
- Sales staff available all day, every day, regardless of time-zone.
- 10 years plastic molding and injection experience.
- 10 thousand square meters of modern production facilities and offices.
- 8 years of successful manufacturing of home appliances.
- Professional R&D and Engineering team.
- World - class trust from Name-Brand buyers like Target, QVC, Aldi, TESCO, Mondial, Clatronic, and Britainia.
- Reliability established by TUV, SGS, & BV third-party Factory Audits.
- State of the art ODM and OEM offerings, and international exhibitions.
- International certification ISO 9001, and industry awards for excellence.

◆ PC 600 "Diana" *Nutrition Extractor Blender*

Description Effortlessly blends fruits, vegetables, super-foods and protein shakes.
Motor: AC
Voltage: 100-120V~; 220-240V~
Frequency: 50/60Hz
Power Consumption: 1000W
High Speed: 17000 ±15% RPM Low Speed: 12000±15% RPM
Weight: 3.1 KG
Dimensions: 15.2 x 17.2 x 37.9cm

Total Pcs/Ctn	4
Pcs/20'	1500
Pcs/40'	3000
Pcs/40HQ	3600
Product Size	15.2 x 17.2 x 37.9cm
Gift box	29.2 x 19.7 x 26.0cm
Shipping Carton	60 x 41 x 27.5cm
Certifications	EMC, GS, CE, ROHS, LFGB, DGCCRF, FDA, ETL

BPAFREE
TRITAN

◆ PC 600-A *Nutrition Extractor Blender*

Description Effortlessly blends fruits, vegetables, super-foods and protein shakes.
Motor: AC
Voltage: 100-120V~; 220-240V~
Frequency: 50/60Hz
Power Consumption: 1000W
Speed: 17000±15% RPM
Weight: 3.1 KG
Dimensions: 15.2 x 17.2 x 37.9cm

Total Pcs/Ctn	4
Pcs/20'	1500
Pcs/40'	3000
Pcs/40HQ	3600
Product Size	15.2 x 17.2 x 37.9cm
Gift box	29.2 x 19.7 x 26.0cm
Shipping Carton	60 x 41 x 27.5cm
Certifications	EMC, GS, CE, ROHS, LFGB, DGCCRF, FDA, ETL

8 PCS Includes

High-torque 1000W Power Base
Extractor Blade
Grinder Blade
Short Cup
Tall Cup
Flip-Top To-Go Lid
2 Stay-fresh Resealable Lids

◆ PC 603 *Touch-pad Control Power Blender*

Description	High speed,Powerful motor,Automatic programs, Slow starting,High/Low speed,Pulse,Soup/ Crushing ice/ Blender functions,PCTG jar with BPA free Motor:AC Voltage: 100-120V~; 220-240V~ Power Consumption: 1500W Speed: 35000±15% RPM
Total Pcs/Ctn	2
Pcs/20'	1078
Pcs/40'	2216
Pcs/40HQ	2514
Product Size	43.9 x 15.3 x 17.6cm
Gift box	34.0 x 23.6 x 30.6cm
Shipping Carton	48.8 x 35.0 x 32.6cm
Certifications	EMC, GS, CE, RoHS, LFGB, CB, ETL, ERP,etc

◆ PC602 *Easy To Go Smoothie Maker*

Description	Personal blender with portable bottle simple and smooth,easy to use and clean • copper motor • Extractor Blade • 600ml Cup (TRITAN, BPA free) • Flip-Top To-Go Lid • Stay-fresh Resealable Lid Motor: AC Voltage: 100-120V~; 220-240V~ Power Consumption: 380W Motor Speed: 20000±15% RPM
Total Pcs/Ctn	8
Pcs/20'	3880
Pcs/40'	7936
Pcs/40HQ	8736
Product Size	33.3 x 12.2 x 12.2cm
Gift box	23.5 x 13.4 x 22.0cm
Shipping Carton	48.2 x 28.1 x 46.5cm
Certifications	EMC, GS, CE, RoHS, LFGB, CB, ETL, ERP,etc

◆ PC 603A *Power Blender*

Description	High speed,Powerful motor, High/Low speed,Pulse,Soup/ Crushing ice/ Blender functions,PCTG jar with BPA free Motor:AC Voltage: 100-120V~; 220-240V~ Power Consumption: 1500W Speed: 35000±15% RPM
Total Pcs/Ctn	2
Pcs/20'	1078
Pcs/40'	2216
Pcs/40HQ	2514
Product Size	43.9 x 15.3 x 17.6cm
Gift box	34.0 x 23.6 x 30.6cm
Shipping Carton	48.8 x 35.0 x 32.6cm
Certifications	EMC, GS, CE, RoHS, LFGB, CB, ETL, ERP,etc

◆ PC 850 "Genie" *Food-Processing Magic*

Description	**Food Processor** **ALL-IN-ONE Food Processor** Color: Brushed Stainless Steel Voltage: 100-120V~; 220-240V~ Frequency: 50/60Hz Power Consumption: 550W
Total Pcs/Ctn	2
Pcs/20'	610
Pcs/40'	1260
Pcs/40HQ	1450
Gift box	43.2 x 24.6 x 39 cm
Shipping Carton	52 x 45 x 41 cm
Certifications	EMC, GS, CE, LFGB, ERP, CB, DGCCRF



Accessories:
Food processor bowl: 1.2L
Blender Jar with SS blade: 1.5L
Chopper Jar with SS blade: 500ML
Circular French-fry Blade
Grater Blade
Slicer Blade
Chopping Blade
Kneading Tool
Butter Churning Disk

Thin slicer

Thick slicer

Thick grater

Thin grater

Potato masher

◆ PC 101 "Perseus" *3 in 1 Food Processor*

Description	Color: Optional colors available Voltage: 100-120V~; 220-240V~ Power Consumption:150W Speed:190±15% RPM
Total Pcs/Ctn	6
Pcs/20'	1470
Pcs/40'	2934
Pcs/40HQ	3432
Product Size	18 x 13 x 26cm
Gift box	41.7 x 18.6 x 22.9cm
Shipping Carton	58.5 x 42.5 x 48.3cm
Certifications	EMC, GS, CE, ROHS, LFGB,CB, ETL, ERP,DGCCRF

◆ PC 105 *3 in 1 Food Processor*

Description	Color: Optional colors available Voltage: 100-120V~; 220-240V~ Power Consumption:150W Speed:190±15% RPM
Total Pcs/Ctn	6
Pcs/20'	1470
Pcs/40'	2934
Pcs/40HQ	3432
Product Size	18 x 13 x 26cm
Gift box	41.7 x 18.6 x 22.9 cm
Shipping Carton	58.5 x 42.5 x 48.3 cm
Certifications	EMC, GS, CE, ROHS, LFGB,CB, ETL, ERP,DGCCRF

◆ PC 700 "Zeus"

Warp-speed Juicer

Description **Spin-power Juicer (S/S handle)**
Color: Brushed Stainless steel finish
Voltage: 100-120V~; 220-240V~
Frequency: 50/60Hz
2L pulp container
Built-in safety switch system
1-Speed: 14000±15% RPM 2-Speed: 18000±15% RPM

Power Consumption: 850W
High quality S/S blade/Juicing system
Chute mouth size: 75mm
Anti-skid silicon feet
Stainless Steel Spout (S/S 304)

Total Pcs/Ctn	2
Pcs/20'	820
Pcs/40'	1750
Pcs/40HQ	1960
Product Size	30 x 20 x 40cm
Gift box	34 x 22 x 41cm
Shipping Carton	45.5 x 35.5 x 42.5cm
Certifications	EMC, GS, CE, ROHS, LFGB,CB, ETL, ERP,DGCCRF

◆ PC 700LED *Warp-speed Juicer*

Description **Spin-power Juicer (S/S handle)**
Color: Brushed Stainless steel finish
Voltage: 100-120V~; 220-240V~
Frequency: 50/60Hz
2L pulp container
Built-in safety switch system
1-Speed: 14000±15% RPM 2-Speed: 18000±15% RPM

Power Consumption: 850W
High quality S/S blade/Juicing system
Chute mouth size: 75mm
Anti-skid silicon feet
Stainless Steel Spout (S/S 304)

Total Pcs/Ctn	2
Pcs/20'	820
Pcs/40'	1750
Pcs/40HQ	1960
Product Size	30 x 20 x 40cm
Gift box	34 x 22 x 41cm
Shipping Carton	45.5 x 35.5 x 42.5cm
Certifications	EMC, GS, CE, ROHS, LFGB, CB, ETL, ERP,DGCCRF

◆ PC 700K "Zeus II" *Warp-speed Juicer*

Description **Spin-power Juicer**
Color: Brushed Stainless steel finish
Voltage: 100-120V~; 220-240V~
Frequency: 50/60Hz
2L pulp container
Built-in safety switch system
1-Speed: 14000±15% RPM 2-Speed: 18000±15% RPM

Total Pcs/Ctn	2
Pcs/20'	820
Pcs/40'	1750
Pcs/40HQ	1960
Product Size	30 x 20 x 40cm
Gift box	34 x 22 x 41cm
Shipping Carton	45.5 x 35.5 x 42.5cm
Certifications	EMC, GS, CE, ROHS, LFGB,CB, ETL, ERP,DGCCRF

Power Consumption: 850W
High quality S/S blade/Juicing system
Chute mouth size: 75mm
Anti-skid silicon feet
Stainless Steel Spout (S/S 304)

◆ PC 720 "Ultra Zeus" *Warp-speed Juicer*

Description Color: Brushed Stainless steel finish
Voltage: 100-120V~; 220-240V~
Frequency: 50/60Hz
2L pulp container
Built-in safety switch system
1-Speed: 14000±15% RPM 2-Speed: 18000±15% RPM
Power Consumption: 1000W
High quality S/S blade/Juicing system
Chute mouth size: 80mm
Anti-skid silicon feet
Stainless Steel Spout (S/S 304)

Total Pcs/Ctn	2
Pcs/20'	770
Pcs/40'	1540
Pcs/40HQ	1720
Product Size	30.9 x 20x 41.2cm
Gift box	33.5 x 22 x 41cm
Shipping Carton	45.5 x 35.5 x 42.5cm
Certifications	EMC, GS, CE, ROHS, LFGB, DGCCRF

◆ PC 150 "Valiant Knight"

Slow Juicer

Description	**Low-Speed Juicer** Color: Brushed Stainless Steel Motor: DC Voltage: 100-120V~; 220-240V~ Power Consumption: 150W Speed: 65±15% RPM
	Weight: 5.02KG Dimensions: 21.50 x 20.5 x 43cm Max. Continuous Use: 20 min
Total Pcs/Ctn	2
Pcs/20'	800
Pcs/40'	1600
Pcs/40HQ	1820
Product Size	21.5 x 20.5 x 43cm
Gift box	38 x 27 x 31cm
Shipping Carton	55.5 x 39.5 x 33cm
Certifications	EMC, GS, CE, ROHS, LFGB, DGCCRF, FDA, ETL

◆ PC 150A "Bold Knight"

Slow Juicer

Description	**Low-Speed Juicer** Color: Brushed Stainless Steel Motor: DC Voltage: 100-120V~; 220-240V~ Power Consumption: 150W Speed: 65±15% RPM
	Weight: 5.02KG Dimensions: 22.20 x 16x 40cm Max Continuous Use: 20 min
Total Pcs/Ctn	2
Pcs/20'	840
Pcs/40'	1680
Pcs/40HQ	1930
Product Size	22.2x 16 x 43cm
Gift box	38 x 27 x 31cm
Shipping Carton	55.5 x 39.5 x 30cm
Certifications	EMC, GS, CE, ROHS, LFGB, DGCCRF, FDA, ETL

◆ PC 150B "Macer"

Anti-Drip Low-speed Juicer

Description	**Low-Speed Juicer** **Extra juice-spout mouth-cap** Color: Brushed Stainless Steel Motor: DC Voltage: 100-120V~; 220-240V~ Speed: 65±15% RPM Weight: 4.45KG Extra juicing mouth cap
Total Pcs/Ctn	2
Pcs/20'	800
Pcs/40'	1600
Pcs/40HQ	1820
Product Size	23.5 x 17.5 x 43.0cm
Gift box	38 x 27 x 31cm
Shipping Carton	42.3 x 58.5 x 36cm
Certifications	EMC, GS, CE, ROHS, LFGB, DGCCRF

◆ PC 500/G"Big-Whiz"
Counter-Top All-purpose Blender

Description	**Counter-Top Blender**
	Motor: AC
	Power Consumption: 450W
	Voltage: 100-120V~; 220-240V~
	Frequency: 50/60Hz
	1.5L Blender Jar
	Safety lock-out cap
	Stainless Steel Blade
	Options: 4-speed; 2-speed
	Power-Pulse Function

Total Pcs/Ctn	4
Pcs/20'	1380
Pcs/40'	2800
Pcs/40HQ	3180
Gift box	22 x 19x 42cm
Shipping Carton	45 x 39 x 43cm
Certifications	EMC, GS, CE, ROHS, LFGB, ERP, DGCCRF

◆ PC 260-21"Blitz" *21-piece"cup-size" All-purpose Blender*

Description	**Blitz family-blender with accessories**
	Motor base
	Juice Jar & Filter
	Short cup
	Tall cup
	Cross blade
	Flat blade
	Steamer lid
	Shaker lid
	Storage lids x 2
	Mugs x 4
	Color rings for mugs x 4

Total Pcs/Ctn	4
Pcs/20'	1400
Pcs/40'	2800
Pcs/40HQ	3320
Gift box	29 x 24x 27.5cm
Shipping Carton	59 x 49 x 28.5cm

◆ PC 200 "Lightning" *Electric Mandoline Slicer*

Description

Electric Mandoline Slicer
With 8 Accessories
Motor: DC
Voltage: 100-120V~; 220-240V~
Power Consumption: 30 W
Weight: 2.6 kg

Dimensions: 37 x 12 x 20.5 cm
Max. Continuous Use: 30 min.
Chute mouth size options:
80mm, 60mm, 40mm

Total Pcs/Ctn	4
Pcs/20'	1800
Pcs/40'	3700
Pcs/40HQ	4376
Product Size	37x 12 x 20.50cm
Gift box	41.50 x 13.80 x 25cm
Shipping Carton	56.50x 42.50 x 51cm
Certifications	EMC, GS, CE, ROHS, LFGB, DGCCRF, FDA, ETL

◆ PC 180 *Ice - cream maker*

Description

Easy to clean and dishwasher safe parts. Add your favorite ingredients
Make from 100% fruits and your favorite toppings. Great with bananas, pineapples, kiwis, berries, mangos, peaches, chocolate
Frequency: 50/60 Hz
Power Consumption: 130W

Total Pcs/Ctn	2
Pcs/20'	1078
Pcs/40'	2216
Pcs/40HQ	2514
Product Size	43.9 x 15.3 x 17.6cm
Gift box	34.0 x 23.6 x 30.6cm
Shipping Carton	48.8 x 35.0 x 32.6cm
Certifications	EMC, GS, CE, RoHS, LFGB, CB, ETL, ERP,etc

Enjoy Healthy Homemade Desserts

Make from 100% Fruits&
Your Favorite Toppings!

- Delicious
- Nutritious
- Fat free
- Dairy free

Optional accessory

Dry Topping Dispenser

Thin grater

Thin slicer

Thick grater

Potato masher

◆ PC 220 "Lightning Cone"

Food Shaper Extraordinaire

Description	Chute-fed electric cone slicer Color: Optional colors available Voltage:120V~;220~;230V~ Power Consumption:80W Speed:190±15% RPM
Total Pcs/Ctn	8
Pcs/20'	2648
Pcs/40'	6500
Pcs/40HQ	7500
Product Size	10.7 x 16.8 x 30.2cm
Gift box	20.5 x 14.3 x 34.8cm
Shipping Carton	42.3 x 58.5 x 36cm
Certifications	EMC, GS, CE, ROHS, LFGB, DGCCRF